

Traktör -İş Makinesi Gurubu

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|-------------|----------|-------------------|------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 740-1007010 | 10-07900 | KAMAZ | | D | İN | 4 | 51,5 | 10 | 160,8 | 45° | |
| 740-1007015 | 11-07901 | | | D | EX | 4 | 46,9 | 10 | 161 | 45° | |
| | 10-08501 | JAC 1020 | | D | İN | 4 | 40,8 | 8 | 125 | 45° | |
| | 11-08502 | | | D | EX | 4 | 35 | 8 | 125 | 45° | |
| | 10-08503 | JAC GBS | | D | İN | 4 | 43,4 | 8 | 117,1 | 45° | |
| | 11-08504 | | | D | EX | 4 | 38 | 8 | 117,2 | 45° | |
| | 10-08505 | JAC 1040 | | D | İN | 4 | 45 | 9 | 127,9 | 45° | |
| | 11-08506 | | | D | EX | 4 | 37,5 | 9 | 127,9 | 45° | |
| | 12-08505 | JAC 1040 | | D | İN | 4 | 14 | 9 | 60 | | |
| | 12-08505 | | | D | EX | 4 | 14 | 9 | 60 | | |
| 556452 | 10-00712 | CATERPILLER 955 | 1673 C | D | İN | 4 | 51,3 | 9,5 | 140 | 30° | |
| 557649 | 11-00725 | | | D | EX | 4 | 48,2 | 9,5 | 139,5 | 30° | |
| 2P1262 | 12-02600 | CATERPILLER 955 | 1673 C | D | İN | 4 | 16,72 | 9,5 | 71,00 | | |
| 2P1262 | 12-02600 | | | D | EX | 4 | 16,72 | 9,5 | 71,00 | | |
| 7M7358 | 10-00739 | CATERPILLER 955 H | | D | İN | 4 | 48 | 9,5 | 166,5 | 30° | |
| 7M7359 | 11-00740 | | | D | EX | 4 | 45 | 9,5 | 166,5 | 30° | |
| 4N3668 | 12-02604 | CATERPILLER 955 H | | D | İN | 4 | 16,72 | 9,5 | 82,00 | | |
| 4N3668 | 12-02604 | | | D | EX | 4 | 16,72 | 9,5 | 82,00 | | |
| 4N5654 | 10-00742 | CATERPILLER 988 | | D | İN | 4 | 45 | 9,5 | 181,4 | 30° | |
| 7N4580 | 11-00743 | | | D | EX | 4 | 41,8 | 9,5 | 181,4 | 45° | |
| 4N2803 | 12-02602 | CATERPILLER 988 | | D | İN | 4 | 17,51 | 9,5 | 82,00 | | |
| 4N2803 | 12-02602 | | | D | EX | 4 | 17,51 | 9,5 | 82,00 | | |
| 4F0213 | 10-00718 | CATERPILLER D6 | D315/D318 | D | İN | 6 | 51,5 | 11 | 198 | 45° | |
| 4F0212 | 11-00719 | | | D | EX | 6 | 47 | 11 | 198 | 45° | |
| 4F6949 | 12-02605 | CATERPILLER D6 | D315/D318 | D | İN | 6 | 20,66 | 11 | 107,50 | | |
| 4F6949 | 12-02605 | | | D | EX | 6 | 20,66 | 11 | 107,50 | | |
| 2A3447 | 10-00745 | CATERPILLER D7 | RD7/RD8 | D | İN | 6 | 60,5 | 12,5 | 228 | 45° | |
| 2A3448 | 11-00746 | | | D | EX | 6 | 60,5 | 12,5 | 228 | 45° | |
| 7N2051 | 12-02601 | CATERPILLER D7 | RD7/RD8 | D | İN | 6 | 23,85 | 12,7 | 132,50 | | |
| 7N2051 | 12-02601 | | | D | EX | 6 | 23,85 | 12,7 | 132,50 | | |
| 8H1993 | 10-00727 | CATERPILLER D8 | D8/13A-14A | D | İN | 6 | 59,5 | 12,6 | 236,2 | 45° | |
| 8H1994 | 11-00728 | | | D | EX | 6 | 58 | 12,6 | 235,3 | 45° | |
| 7N2051 | 12-02601 | CATERPILLER D8 | D8/13A-14A | D | İN | 6 | 23,85 | 12,7 | 132,50 | | |
| 7N2051 | 12-02601 | | | D | EX | 6 | 23,85 | 12,7 | 132,50 | | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|------------|----------|--|---------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 6N9915 | 10-00748 | CATERPILLER 3304 T/3304 NA/3306 T/3306 TA/3406 T | | D | İN | 6 | 51,5 | 9,5 | 136,5 | 30° | |
| 6N9916 | 11-00709 | | | D | EX | 6 | 48 | 9,5 | 135 | 30° | |
| 2P1262 | 12-02600 | CATERPILLER 3304 T/3304 NA/3306 T/3306 TA/3406 T | | D | İN | 6 | 16,72 | 9,5 | 71,00 | | |
| 2P1262 | 12-02600 | | | D | EX | 6 | 16,72 | 9,5 | 71,00 | | |
| 7W8064 | 10-00714 | CATERPILLER 3116 | | D | İN | 6 | 47 | 8 | 177 | 30° | |
| 7W2699 | 11-00715 | | | D | EX | 6 | 40 | 8 | 177 | 45° | |
| 9Y8848 | 12-02606 | CATERPILLER 3116 | | D | İN | 6 | 12,70 | 8 | 75,20 | | |
| 9Y8848 | 12-02606 | | | D | EX | 6 | 12,70 | 8 | 75,20 | | |
| 2W2622 | 10-00700 | CATERPILLER 3406 | 3406/3408 | D | İN | 6 | 45,1 | 9,5 | 181,4 | 30° | |
| 1W3860 | 11-00701 | | | D | EX | 6 | 41,8 | 9,5 | 181,4 | 45° | |
| 4N2803 | 12-02602 | CATERPILLER 3406 | 3406/3408 | D | İN | 6 | 17,51 | 9,5 | 82,00 | | |
| 4N2803 | 12-02602 | | | D | EX | 6 | 17,51 | 9,5 | 82,00 | | |
| 122 03 22 | 10-00706 | CATERPILLER 3406C / 3408C / 3412C | | D | İN | 6 | 45 | 9,5 | 184,15 | 30° | |
| 122 03 21 | 11-00707 | | | D | EX | 6 | 41,8 | 9,5 | 184,15 | 45° | |
| 9L7682 | 10-00710 | CATERPILLER 3208 | 1140/1145/1150/1160 | D | İN | 8 | 53,2 | 9,5 | 144,7 | 30° | |
| 9L7683 | 11-00711 | | | D | EX | 8 | 45,8 | 9,5 | 144,3 | 45° | |
| 2P1262 | 12-02600 | CATERPILLER 3208 | 1140/1145/1150/1160 | D | İN | 8 | 16,72 | 9,5 | 71,00 | | |
| 2P1262 | 12-02600 | | | D | EX | 8 | 16,72 | 9,5 | 71,00 | | |
| 4621511 | 10-01621 | FIAT TRAKTOR 480/640 (Std./+0.50) | | D | İN | 4 | 43,9 | 8 | 125,8 | 45° | |
| 4673608 | 11-01624 | | | D | EX | 4 | 36,9 | 8 | 125,5 | 45° | |
| 4 802 126 | 12-00127 | FIAT TRAKTOR 480/640 | | D | İN | 4 | 14,02 | 8 | 56,00 | | |
| 4 802 126 | 12-00127 | | | D | EX | 4 | 14,02 | 8 | 56,00 | | |
| 4659379 | 10-01623 | FIAT 50 NC (Std./+0.50) | | D | İN | 4 | 43,9 | 8 | 125,8 | 45° | |
| 4673608 | 11-01624 | | | D | EX | 4 | 36,9 | 8 | 125,5 | 45° | |
| 4 802 126 | 12-00127 | FIAT 50 NC | | D | İN | 4 | 14,02 | 8 | 56,00 | | |
| 4 802 126 | 12-00127 | | | D | EX | 4 | 14,02 | 8 | 56,00 | | |
| 99432652 | 10-01629 | FIAT IVECO 8060 (Std./+0.50) | 8060.05 | D | İN | 4 | 45,5 | 8 | 125,5 | 30° | |
| 99432718 | 11-01630 | | | D | EX | 4 | 37,5 | 8 | 125,5 | 45° | |
| 4 648 421 | 12-00133 | FIAT IVECO 8060 | 8060.05 | D | İN | 4 | 14,02 | 8 | 56,00 | | |
| 4 648 421 | 12-00133 | | | D | EX | 4 | 14,02 | 8 | 56,00 | | |
| 8823545 | 10-01627 | FIAT 130 NC / 750 | CO 3/CP 3 | D | İN | 4 | 42,9 | 8 | 137,7 | 45° | |
| 8823549 | 11-01628 | | | D | EX | 4 | 36,4 | 8 | 137,8 | 45° | |
| 8822383 | 12-00161 | FIAT 130 NC / 750 | CO 3/CP 3 | D | İN | 4 | 14,05 | 8 | 55,00 | | |
| 8823263 | 12-00162 | | | D | EX | 4 | 14,05 | 8 | 62,00 | | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|-----------------|------------|---|--------------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 4579416 | 10-01615 | FIAT 411/415 (Std./+0.50) | | D | İN | 4 | 39,4 | 9 | 130,8 | 45° | |
| 4579417 | 11-01616 | | | D | EX | 4 | 34,4 | 9 | 130,8 | 45° | |
| 5 61 288 | 12-00128 | FIAT 411/415 | | D | İN | 4 | 15,02 | 9 | 59,00 | | |
| 5 61 288 | 12-00129 | | | D | EX | 4 | 15,02 | 9 | 69,00 | | |
| 84319390 | 10-00140 | FIAT TRAKTOR 8035 (CASE) | | D | İN | 4 | 45,3 | 8 | 126,4 | 30° | |
| 84319379 | 11-00141 | | | D | EX | 4 | 41 | 8 | 126,5 | 45° | |
| 6 3050 332 0034 | 12-05700 | FENDT 95 | D 225/235 | D | İN | 4 | 15/16,5 | 9 | 58,00 | | |
| 6 3050 332 0034 | 12-05700 | | | D | EX | 4 | 15/16,5 | 9 | 58,00 | | |
| 622604600054 | 10-03013 | FENDT 105 | D 226 Z | D | İN | 4 | 41 | 9 | 117 | 45° | |
| 630804600024 | 11-03014 | | | D | EX | 4 | 38 | 9 | 117 | 45° | |
| 6 3050 332 0034 | 12-05700 | FENDT 105 | D 226 Z | D | İN | 4 | 15/16,5 | 9 | 58,00 | | |
| 6 3050 332 0034 | 12-05700 | | | D | EX | 4 | 15/16,5 | 9 | 58,00 | | |
| C5NE6507A | 10-01758 | FORD TRAKTOR 3000-5000 (Std./+0.50) | RD 256 cu.in. | D | İN | 4 | 45,8 | 9,4 | 145,9 | 45° | |
| C5NE6505A | 11-01759 | | | D | EX | 4 | 38,4 | 9,4 | 145,9 | 45° | |
| | 12-02322 | FORD TRAKTOR 3000-5000 | RD 256 cu.in. | D | İN | 4 | 12,75 | 9,4 | 78,80 | | |
| | 12-02322 | | | D | EX | 4 | 12,75 | 9,4 | 78,80 | | |
| C5NE6507B | 10-01758.1 | FORD TRAKTOR 3000-5000 (0.003"/+0.50) | RD 256 cu.in. | D | İN | 4 | 45,8 | 9,47 | 145,9 | 45° | |
| C5NE6505B | 11-01759.1 | | | D | EX | 4 | 38,4 | 9,47 | 145,9 | 45° | |
| | 12-02322.1 | FORD TRAKTOR 3000-5000 (0.003") | RD 256 cu.in. | D | İN | 4 | 12,75 | 9,47 | 78,80 | | |
| | 12-02322.1 | | | D | EX | 4 | 12,75 | 9,47 | 78,80 | | |
| C5NE6507C | 10-01758.2 | FORD TRAKTOR 3000-5000 (0.010"/+0.50) | RD 256 cu.in. | D | İN | 4 | 45,8 | 9,65 | 145,9 | 45° | |
| C5NE6505C | 11-01759.2 | | | D | EX | 4 | 38,4 | 9,65 | 145,9 | 45° | |
| | 12-02322.2 | FORD TRAKTOR 3000-5000 (0.010") | RD 256 cu.in. | D | İN | 4 | 12,75 | 9,65 | 78,80 | | |
| | 12-02322.2 | | | D | EX | 4 | 12,75 | 9,65 | 78,80 | | |
| C5NN6507E | 10-01758.3 | FORD TRAKTOR 3000-5000 (0.015"/+0.50) | RD 256 cu.in. | D | İN | 4 | 45,8 | 9,8 | 145,9 | 45° | |
| C7NN6505H | 11-01759.3 | | | D | EX | 4 | 38,4 | 9,8 | 145,9 | 45° | |
| | 12-02322.3 | FORD TRAKTOR 3000-5000 (0.015") | RD 256 cu.in. | D | İN | 4 | 12,75 | 9,80 | 78,80 | | |
| | 12-02322.3 | | | D | EX | 4 | 12,75 | 9,80 | 78,80 | | |
| D3NN6507A | 10-17207 | FORD TRAKTOR 3600 - 3610 - 6600 - 6610 - 6700 | 6Y/7A | D | İN | 6 | 46,5 | 9,4 | 146 | 45° | |
| D8NN 6505AA | 11-01759 | | | D | EX | 6 | 38,5 | 9,4 | 146 | 45° | |
| DONN6507J | 10-01766 | FORD TRAKTOR 7000 TURBO (Std./+0.50) | (7000 Turbocharged 6600) | D | İN | 6 | 46,5 | 9,4 | 146 | 30° | |
| DONN6505A | 11-01767 | | | D | EX | 6 | 38,5 | 9,4 | 146 | 45° | |
| | 10-01766.1 | FORD TRAKTOR 7000 TURBO (0.010"/+0.50) | (7000 Turbocharged 6600) | D | İN | 6 | 46,5 | 9,65 | 146 | 30° | |
| | 11-01767.1 | | | D | EX | 6 | 38,5 | 9,65 | 146 | 45° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|----------------|------------|---|--------------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| | 10-01766.2 | FORD TRAKTOR 7000 TURBO (0.015"/+0.50) | (7000 Turbocharged 6600) | D | İN | 6 | 46,5 | 9,8 | 146 | 30° | |
| | 11-01767.2 | | | D | EX | 6 | 38,5 | 9,8 | 146 | 45° | |
| 87802256 | 10-17213 | FORD TRAKTOR 6640 / 7740 | C56-C56-CX | D | İN | 6 | 47,5 | 9,8 | 147 | 30° | |
| 87802258 | 11-17214 | | | D | EX | 6 | 43 | 9,8 | 146,4 | 45° | |
| 87802256 | 10-17225 | FORD TRAKTOR 8670 -NEW HOLLAND TC 56 - TM155 | | D | İN | 6 | 47,5 | 9,8 | 147 | 30° | |
| 87802258 | 11-17226 | | | D | EX | 6 | 43 | 9,8 | 146,4 | 45° | |
| 27 00752 000 | 10-09903 | FORTSCHRITT ZT300 | ZT300 | D | EX | 4 | 58 | 12 | 171 | 45° | |
| 27 08776 000 | 11-09904 | | | D | İN | 4 | 50 | 12 | 171 | 45° | |
| | 12-09903 | FORTSCHRITT ZT300 | ZT300 | D | İN | 4 | 20 | 12 | 87,6 | | |
| | 12-09903 | | | D | EX | 4 | 20 | 12 | 87,6 | | |
| 8 824 417 | 10-01629 | NEWHOLLAND TL95-9566/TD95-100 | | D | İN | 4 | 45,5 | 8 | 125,5 | 30° | |
| 99432717 | 11-01630 | | | D | EX | 4 | 37,5 | 8 | 125,5 | 45° | |
| 4 648 421 | 12-00133 | NEWHOLLAND TL95-9566/TD95-100 | | D | İN | 4 | 14,02 | 8 | 56,00 | | |
| 4 648 421 | 12-00133 | | | D | EX | 4 | 14,02 | 8 | 56,00 | | |
| 4 895 187 | 10-01126 | NEWHOLLAND TL100A | | D | İN | 6 | 45 | 8 | 129,2 | 30° | |
| 4 895 188 | 11-01129 | | | D | EX | 6 | 42 | 8 | 129,2 | 45° | |
| 3906854 | 12-01201 | NEWHOLLAND TL100A | | D | İN | 6 | 14,00 | 8 | 60,50 | | |
| 3904105 | 12-01202 | | | D | EX | 6 | 14,00 | 8 | 52,00 | | |
| 501007014 | 10-09901 | BELARUS | MTZ 50 | D | İN | 4 | 47,5 | 11 | 158,2 | 45° | |
| 501007015 | 11-09902 | | | D | EX | 4 | 42 | 11 | 158,2 | 45° | |
| | 12-09901 | BELARUS | MTZ 50 | D | İN | 4 | 18,2 | 11 | 91,15 | | |
| | 12-09901 | | | D | EX | 4 | 18,2 | 11 | 91,15 | | |
| 3026900035 | 10-01805 | HATZ E80 PANCAR MOTOR (Std./+0.50) | E-80 | D | İN | 1 | 34,1 | 8 | 121,5 | 45° | |
| 3026800035 | 11-01806 | | | D | EX | 1 | 31,1 | 8 | 121,5 | 45° | |
| 031 484 02 | 12-06001 | HATZ E80 PANCAR MOTOR | E-80 | D | İN | 1 | 12,00 | 8 | 60,00 | | |
| 031 484 02 | 12-06001 | | | D | EX | 1 | 12,00 | 8 | 60,00 | | |
| 3038800115 | 10-01813 | HATZ E89 PANCAR MOTOR (Std./+0.50) | E-89 | D | İN | 1 | 41,1 | 8 | 121,5 | 45° | |
| 3038900115 | 11-01814 | | | D | EX | 1 | 35,1 | 8 | 121,5 | 45° | |
| 031 484 02 | 12-06001 | HATZ E89 PANCAR MOTOR | E-89 | D | İN | 1 | 12,00 | 8 | 60,00 | | |
| 031 484 02 | 12-06001 | | | D | EX | 1 | 12,00 | 8 | 60,00 | | |
| 030 388 10 113 | 10-01803 | HATZ E89 PANCAR MOTOR (YENİ MODEL) (Std./+0.50) | E-89 | D | İN | 1 | 41,1 | 8 | 121,5 | 45° | |
| 030 389 10 113 | 11-01804 | | | D | EX | 1 | 35,1 | 8 | 121,5 | 45° | |
| 031 484 02 | 12-06001 | HATZ E89 PANCAR MOTOR (YENİ MODEL) | E-89 | D | İN | 1 | 12,00 | 8 | 60,00 | | |
| 031 484 02 | 12-06001 | | | D | EX | 1 | 12,00 | 8 | 60,00 | | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|---------------|----------|--|------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFQA | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 3291900334 | 10-01809 | HATZ E108 PANCAR MOTOR (Std./+0.50) | E-108 | D | İN | 1 | 43 | 9 | 138 | 45° | |
| 3292000334 | 11-01810 | | | D | EX | 1 | 37 | 9 | 138 | 45° | |
| | 13-06002 | HATZ E108 PANCAR MOTOR | E-108 | D | İN | 1 | 13,05 | 9 | 69,00 | | |
| | 13-06002 | | | D | EX | 1 | 13,05 | 9 | 69,00 | | |
| 041008400 | 10-01815 | HATZ E108 PANCAR MOTOR YENİ MODEL (Std./+0.50) | E-108 | D | İN | 1 | 43 | 9 | 138 | 45° | |
| 041008500 | 11-01816 | | | D | EX | 1 | 37 | 9 | 138 | 45° | |
| | 13-06002 | HATZ E108 PANCAR MOTOR YENİ MODEL | E-108 | D | İN | 1 | 13,05 | 9 | 69,00 | | |
| | 13-06002 | | | D | EX | 1 | 13,05 | 9 | 69,00 | | |
| 3019002 | 10-02300 | IHI-SHIBAURA (Std./+0.50) | | D | İN | 1 | 38 | 8 | 117,2 | 45° | |
| 3019003 | 11-02301 | | | D | EX | 1 | 32 | 8 | 117,20 | 45° | |
| | 12-02300 | IHI-SHIBAURA | | D | İN | 1 | 14 | 8 | 44,2 | | |
| | 12-02300 | | | D | EX | 1 | 14 | 8 | 44,20 | | |
| 201-80250 | 10-02802 | LISTER ST (Std./+0.50) | ST | D | İN | 1 | 52,6 | 8,70 | 120,2 | 45° | |
| 201-80240 | 11-02803 | | | D | EX | 1 | 35,6 | 8,7 | 120,3 | 45° | |
| 201-50880 | 12-06500 | LISTER ST | ST | D | İN | 1 | 13,5 | 8,7 | 52,4 | | |
| 201-50890 | 12-06501 | | | D | EX | 1 | 13,5 | 8,7 | 54 | | |
| 201-30040 | 10-02810 | LISTER TS (Std./+0.50) | TS | D | İN | 1 | 52,7 | 8,70 | 117,8 | 45° | |
| 201-300518 | 11-02811 | | | D | EX | 1 | 35,6 | 8,7 | 117,8 | 45° | |
| 201-30181 | 12-02810 | LISTER TS | TS | D | İN | 1 | 13,5 | 8,7 | 60 | | |
| 201-30170 | 12-02811 | | | D | EX | 1 | 13,5 | 8,7 | 58 | | |
| 201-10363 | 10-02812 | LISTER LD | LD | D | İN | 1 | 24,9 | 7,9 | 113,2 | 45° | |
| 201-10363 | 11-02812 | | | D | EX | 1 | 24,9 | 7,9 | 113,2 | 45° | |
| 8-1C121 | 10-02804 | LISTER VA 8/1 - VA/73 | VA | D | İN | 1 | 33,7 | 11 | 165,9 | 45° | |
| 8-1C121 | 11-02804 | | | D | EX | 1 | 33,7 | 11 | 165,9 | 45° | |
| 81C83-10-3-83 | 12-06502 | LISTER VA 8/1 - VA/73 | VA | D | İN | 1 | 19 | 11 | 109,5 | | |
| 81C83-10-3-83 | 12-06502 | | | D | EX | 1 | 19 | 11 | 109,5 | | |
| 351K-50420 | 10-02813 | LISTER HR | HR | D | İN | 1 | 48 | 9,5 | 137,3 | 45° | |
| 351F-50430 | 11-02814 | | | D | EX | 1 | 40 | 9,5 | 137,3 | 45° | |
| 351-10400 | 12-06503 | LISTER HR | HR | D | İN | 1 | 15,9 | 9,5 | 63,5 | | |
| 351-10400 | 12-06503 | | | D | EX | 1 | 15,9 | 9,5 | 63,5 | | |
| 201-33070 | 10-02815 | LISTER TR | TR | D | İN | 1 | 45,8 | 8,7 | 117,6 | 45° | |
| 201-33080 | 11-02816 | | | D | EX | 1 | 38,8 | 8,7 | 117,8 | 45° | |
| 201-19350 | 10-02806 | LISTER SR | SR | D | İN | 1 | 32,5 | 8 | 120 | 45° | |
| 201-19360 | 11-02807 | | | D | EX | 1 | 29,5 | 8 | 120 | 45° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|--------------|------------|---|------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 201-50871 | 10-02817 | LISTER SR-SW | SR-SW | D | İN | 1 | 39,6 | 8,7 | 119,7 | 45° | |
| 201-50891 | 11-02818 | | | D | EX | 1 | 33,4 | 8,7 | 120,3 | 45° | |
| 201-50880 | 12-06500 | LISTER SR-SW | SR-SW | D | İN | 1 | 13,5 | 8,7 | 52,4 | | |
| 201-50890 | 12-06501 | | | D | EX | 1 | 13,5 | 8,7 | 54 | | |
| | 10-02819 | LISTER LT | LT | D | İN | 1 | 37 | 7,87 | 96,8 | 45° | |
| | 11-02820 | | | D | EX | 1 | 31 | 7,87 | 96,7 | 45° | |
| 336663 | 10-05302 | LISTER PETTER PH | PH | D | İN | 1 | 37 | 7 | 113,5 | 45° | |
| 336663 | 11-05302 | | | D | EX | 1 | 37 | 7 | 113,5 | 45° | |
| 3055055R2 | 10-03717 | INTER 1800/654 S (Std./+0.50) | D 179 | D | İN | 4 | 42,9 | 10 | 146 | 45° | |
| 3055056R2 | 11-03718 | | | D | EX | 4 | 40,9 | 10 | 146 | 45° | |
| | 12-01302 | INTER 1800/654 S | D 179 | D | İN | 4 | 16,04 | 10 | 79,00 | | |
| | 12-01302 | | | D | EX | 4 | 16,04 | 10 | 79,00 | | |
| 3040361R1 | 10-03713 | INTER 444 (Std./+0.50) | BD 154 | D | İN | 4 | 37,3 | 8,7 | 147,7 | 45° | |
| 3043826R1 | 11-03714 | | | D | EX | 4 | 29,9 | 8,7 | 147,7 | 45° | |
| 3 044 492 R1 | 12-01901 | INTER 444 | BD 154 | D | İN | 4 | 14,31 | 8,7 | 82,50 | | |
| 3 044 493 R1 | 12-01903 | | | D | EX | 4 | 14,31 | 8,7 | 76,20 | | |
| R-52251 | 10-31122 | JOHN DEERE 1020/1130/2040 (Std./+0.50) | XY30 | D | İN | 4 | 45 | 9,45 | 131 | 45° | |
| R-52252 | 11-31123 | | | D | EX | 4 | 40 | 9,45 | 131 | 45° | |
| | 12-31122 | JOHN DEERE 1020/1130/2040 | XY30 | D | İN | 4 | 14 | 9,45 | 75 | | |
| | 12-31122 | | | D | EX | 4 | 14 | 9,45 | 75 | | |
| R-57332 | 10-31122.1 | JOHN DEERE 1020/1130/2040 (0.003"/+0.50) | XY30 | D | İN | 4 | 45 | 9,52 | 131 | 45° | |
| R-57333 | 11-31123.1 | | | D | EX | 4 | 40 | 9,52 | 131 | 45° | |
| | 12-31122.1 | JOHN DEERE 1020/1130/2040 | XY30 | D | İN | 4 | 14 | 9,52 | 75 | | |
| | 12-31122.1 | | | D | EX | 4 | 14 | 9,52 | 75 | | |
| R-57334 | 10-31122.2 | JOHN DEERE 1020/1130/2040 (0.015"/+0.50) | XY30 | D | İN | 4 | 45 | 9,9 | 131 | 45° | |
| R-57335 | 11-31123.2 | | | D | EX | 4 | 40 | 9,9 | 131 | 45° | |
| | 12-31122.2 | JOHN DEERE 1020/1130/2040 | XY30 | D | İN | 4 | 14 | 9,9 | 75 | | |
| | 12-31122.2 | | | D | EX | 4 | 14 | 9,9 | 75 | | |
| R-98062 | 10-31103 | JOHN DEERE 4039 - 4045 TURBO (Std./+0.50) | XY30 | D | İN | 4 | 46,5 | 8 | 134 | 30° | |
| R-90692 | 11-31104 | | | D | EX | 4 | 42,5 | 8 | 133,5 | 30° | |
| R-97490 | 10-31103.2 | JOHN DEERE 4039 - 4045 TURBO (0.015"/+0.50) | | D | İN | 4 | 46,5 | 8,25 | 134 | 30° | |
| R-97492 | 11-31104.2 | | | D | EX | 4 | 42,5 | 8,25 | 133,5 | 30° | |
| R-97491 | 10-31103.3 | JOHN DEERE 4039 - 4045 TURBO (0.030"/+0.50) | | D | İN | 4 | 46,5 | 8,65 | 134 | 30° | |
| R-97493 | 11-31104.3 | | | D | EX | 4 | 42,5 | 8,65 | 133,5 | 30° | |

| ORJINAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|--------------|----------|--|--------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| R-83071 | 10-03101 | JOHN DEERE SERIE 300 MOT.179-239-276-359-414 TURBO AFTERCOOLER | SERIES 300 Motor | D | İN | 4 | 46,2 | 9,5 | 131,3 | 30° | |
| R-79624 | 11-03102 | | | D | EX | 4 | 40 | 9,5 | 131 | 45° | |
| R-502454 | 10-03130 | JOHN DEERE POWERTECH 2.4L/3.0L | | D | İN | 4 | 37 | 7 | 123,6 | 45° | |
| R-502455 | 11-03131 | | | D | EX | 4 | 37 | 7 | 123,6 | 45° | |
| RE-531221 | 10-03132 | JOHN DEERE 6430 4x4 16V | | D | İN | 8 | 37 | 7 | 135,5 | 45° | |
| RE-518081 | 11-03133 | | | D | EX | 8 | 35,9 | 7 | 135,5 | 30° | |
| R-520223 | 10-03134 | JOHN DEERE 6090 | | D | İN | 4 | 37 | 7 | 135,5 | 30° | |
| R-520224 | 11-03135 | | | D | EX | 4 | 40 | 8 | 162,3 | 30° | |
| 320/03612 | 10-06902 | JCB 3CX 8V | 3CX/4CX 4L L4 DOHC | D | İN | 4 | 40 | 7 | 162,3 | 30° | |
| 320/03616 | 11-06903 | | | D | EX | 4 | 33,5 | 7 | 132,2 | 45° | |
| 6204-41-4110 | 10-03410 | KOMATSU 6D95 / FORKLIFT | 4D95 | D | İN | 4 | 44 | 8 | 128 | 45° | |
| 6204-41-4210 | 11-03411 | | | D | EX | 4 | 38 | 8 | 128 | 45° | |
| 6204-19-1310 | 12-02700 | KOMATSU 6D95 / FORKLIFT | 4D95 | D | İN | 4 | 12,04 | 8 | 52,00 | | |
| 6204-19-1310 | 12-02700 | | | D | EX | 4 | 12,04 | 8 | 52,00 | | |
| 129900-11100 | 10-07510 | KOMATSU / YANMAR FORKLIFT 4D94E | 4D94LE Forklift | D | İN | 4 | 41 | 8 | 115,1 | 30° | |
| 129900-11110 | 11-07511 | | | D | EX | 4 | 35,2 | 8 | 115 | 45° | |
| - | 12-07510 | KOMATSU / YANMAR FORKLIFT 4D94E | 4D94LE Forklift | D | İN | 4 | 13 | 8 | 46,1 | | |
| - | 12-07510 | | | D | EX | 4 | 13 | 8 | 46,1 | | |
| 6127-41-4113 | 10-03404 | KOMATSU 6155 | | D | İN | 6 | 56 | 11 | 212,5 | 30° | |
| 6127-41-4214 | 11-03405 | | | D | EX | 6 | 53 | 11 | 212,5 | 45° | |
| 6209-41-4110 | 10-03418 | KOMATSU SAD 95L | 95 L | D | İN | 6 | 44 | 8 | 128,2 | 30° | |
| 6209-41-4210 | 11-03419 | | | D | EX | 6 | 38 | 8 | 128,2 | 45° | |
| 6204-11-1310 | 12-02703 | KOMATSU SAD 95L | 95 L | D | İN | 6 | 12,04 | 8 | 51,90 | | |
| 6204-11-1310 | 12-02703 | | | D | EX | 6 | 12,04 | 8 | 51,90 | | |
| 6136-41-4110 | 10-03402 | KOMATSU 6D105 | 6D105 | D | İN | 6 | 46,1 | 10 | 145,5 | 30° | |
| 6136-41-4210 | 11-03403 | | | D | EX | 6 | 40 | 10 | 145,5 | 45° | |
| 6138-42-4110 | 10-03413 | KOMATSU 6D105-108-110 | SAD105 | D | İN | 6 | 47,1 | 9 | 148,5 | 30° | |
| 6138-42-4210 | 11-03414 | | | D | EX | 6 | 41,1 | 9 | 148,5 | 45° | |
| 6136-12-1330 | 12-02702 | KOMATSU 6D-105-108-110 | SAD105 | D | İN | 6 | 16,04 | 9 | 68,5 | | |
| 6136-12-1330 | 12-02702 | | | D | EX | 6 | 16,04 | 9 | 68,5 | | |
| 6150 41 4111 | 10-03425 | KOMATSU 6D125 | 6D125 | D | İN | 6 | 45 | 9 | 169,5 | 30° | |
| 6150 41 4210 | 11-03426 | | | D | EX | 6 | 44 | 9 | 169,5 | 45° | |
| 6610-41-4110 | 10-03421 | KOMATSU 6D130 | 6D130 | D | İN | 6 | 44,5 | 10,2 | 179,4 | 30° | |
| 6610-41-4210 | 11-03422 | | | D | EX | 6 | 44,5 | 10,2 | 179,4 | 30° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|--------------|----------|--|------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 6610-11-1311 | 12-02705 | KOMATSU 6D130 | 6D130 | D | İN | 6 | 19,10 | 10,2 | 87 | | |
| 6610-11-1311 | 12-02705 | | | D | EX | 6 | 19,10 | 10,2 | 87 | | |
| 129100-11100 | 10-07512 | YANMAR 4TNE 8V | 3TNE84-AK MOTOR | D | İN | 4 | 35 | 8 | 109,2 | 30° | |
| 129100-11130 | 11-07513 | | | D | EX | 4 | 30 | 8 | 109,2 | 45° | |
| 105225-11100 | 10-07500 | YANMAR 18 | 3T72L TBS | D | İN | 3 | 32 | 7 | 91,10 | 45° | |
| 105225-11110 | 11-07501 | | | D | EX | 3 | 25,6 | 7 | 91,10 | 45° | |
| | 10-07514 | YANMAR VIO 20 | VIO 20 | D | İN | 4 | 31,5 | 7 | 97,6 | 45° | |
| | 11-07515 | | | D | EX | 4 | 26,5 | 7 | 97,6 | 45° | |
| | 10-07516 | YANMAR VIO 25 | VIO 25 | D | İN | 4 | 33,5 | 8 | 103 | 30° | |
| | 11-07517 | | | D | EX | 4 | 30,4 | 8 | 103 | 45° | |
| | 10-07518 | YANMAR VIO 30 | VIO 30 | D | İN | 4 | 35,5 | 8 | 109,2 | 30° | |
| | 11-07519 | | | D | EX | 4 | 33,3 | 8 | 109,20 | 45° | |
| | 10-07520 | YANMAR VIO 35 | VIO 35 | D | İN | 4 | 36,6 | 8 | 100,7 | 45° | |
| | 11-07521 | | | D | EX | 4 | 30,8 | 8 | 99,7 | 45° | |
| 129907-11100 | 10-07522 | YANMAR 16V | | D | İN | 8 | 33 | 7 | 103,5 | 30° | |
| 129907-11110 | 11-07523 | | | D | EX | 8 | 28 | 7 | 103,1 | 45° | |
| | 10-07524 | YANMAR | | D | İN | 4 | 43,2 | 9 | 121 | 30° | |
| | 11-07525 | | | D | EX | 4 | 37,5 | 9 | 121 | 45° | |
| 1G852 13110 | 10-08700 | KUBOTA 41 (L3408DI) 8V | DC60-DC68G | D | İN | 4 | 37,5 | 8 | 101,9 | 30° | |
| 1G852 13120 | 11-08701 | | | D | EX | 4 | 32 | 8 | 101,5 | 45° | |
| JAM3298 | 10-03508 | LEYLAND 154 | 15 I | D | İN | 4 | 34,9 | 8,7 | 119,4 | 45° | |
| JAM3299 | 11-03509 | | | D | EX | 4 | 29,4 | 8,7 | 119,4 | 45° | |
| 12B1339 | 12-01200 | LEYLAND 154 | 15 I | D | İN | 4 | 14,34 | 8,7 | 56,30 | | |
| 12B1339 | 12-01200 | | | D | EX | 4 | 14,34 | 8,7 | 56,30 | | |
| 2839652017 | 10-02912 | LOMBARDINI LDA-450 (Std./+0.50) | LDA 450 | D | İN | 1 | 34,4 | 7 | 99,4 | 45° | |
| 2839685027 | 11-02913 | | | D | EX | 1 | 29,5 | 7 | 99,2 | 45° | |
| 285-4845-49 | 12-06602 | LOMBARDINI LDA-450 | LDA 450 | D | İN | 1 | 11,06 | 7 | 56,00 | | |
| 285-4845-48 | 13-06603 | | | D | EX | 1 | 11,06 | 7 | 44,00 | | |
| 2919652019 | 10-02902 | LOMBARDINI LDA-96 / LDA 640 (Std./+0.50) | LDA-96 | D | İN | 1 | 42,1 | 8 | 111,2 | 45° | |
| 2919652031 | 11-02903 | | | D | EX | 1 | 35,5 | 8 | 111 | 45° | |
| 291-4845-47 | 12-06600 | LOMBARDINI LDA-96 / LDA-640 | LDA-96 | D | İN | 1 | 12,06 | 8 | 66,00 | | |
| 291-4845-46 | 13-06601 | | | D | EX | 1 | 12,06 | 8 | 48,00 | | |
| 520965225 | 10-02908 | LOMBARDINI 520 | LDA 530 1° Serie | D | İN | 1 | 31,8 | 7 | 84,2 | 45° | |
| 520968539 | 11-02909 | | | D | EX | 1 | 27 | 7 | 83,8 | 45° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|--------------|----------|----------------------------------|------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFAS Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 500-4845-29 | 12-06604 | LOMBARDINI 520 | LDA 530 1° Serie | D | İN | 1 | 11,05 | 7 | 46,00 | | |
| 500-4845-30 | 13-06605 | | | D | EX | 1 | 11,05 | 7 | 33,00 | | |
| | 10-02910 | LOMBARDINI 665/2 | 665/2 | D | İN | 1 | 39,4 | 8 | 102,15 | 45° | |
| | 11-02911 | | | D | EX | 1 | 33,3 | 8 | 102 | 45° | |
| 909652.16 | 10-02906 | LOMBARDINI 250 | LA 205 | D | İN | 1 | 32 | 7 | 94 | 45° | |
| 909685.22 | 11-02907 | | | D | EX | 1 | 28 | 7 | 94 | 45° | |
| 90-4845-28 | 13-06607 | LOMBARDINI 250 | LA 205 | D | İN | 1 | 12,05 | 7 | 41,00 | | |
| 90-4845-28 | 13-06607 | | | D | EX | 1 | 12,05 | 7 | 41,00 | | |
| 5209652040 | 10-02914 | LOMBARDINI 325-360 | LDA 520 2° Serie | D | İN | 1 | 34,3 | 7 | 83,9 | 45° | |
| 5209685051 | 11-02915 | | | D | EX | 1 | 29,5 | 7 | 83,4 | 45° | |
| 500-4845-29 | 12-06604 | LOMBARDINI 325-360 | LDA 520 2° Serie | D | İN | 1 | 11,05 | 7 | 46,00 | | |
| 500-4845-30 | 12-06605 | | | D | EX | 1 | 11,05 | 7 | 33,00 | | |
| 822 9652 041 | 10-02916 | LOMBARDINI 832 | | D | İN | 4 | 42,9 | 9 | 112 | 45° | |
| 822 9685 053 | 11-02917 | | | D | EX | 4 | 37,5 | 9 | 112 | 45° | |
| 276-4845-26 | 12-06608 | LOMBARDINI 832 | | D | İN | 1 | 15,1 | 9 | 51 | | |
| 276-4845-27 | 12-06609 | | | D | EX | 1 | 15,1 | 9 | 51 | | |
| ED0096521470 | 10-02918 | LOMBARDINI LDW 1603 | | D | İN | 1 | 40,4 | 7 | 101,8 | 30° | |
| ED0099851470 | 11-02919 | | | D | EX | 1 | 35,4 | 7 | 101,8 | 45° | |
| | 12-02918 | LOMBARDINI 325-360 | | D | İN | 1 | 12 | 7 | 36 | | |
| | 12-02918 | | | D | EX | 1 | 12 | 7 | 36 | | |
| | 10-02920 | LOMBARDINI 9LDA 626-2 | | D | İN | 8 | 38,8 | 8 | 101,8 | 45° | |
| | 11-02921 | | | D | EX | 8 | 32,4 | 8 | 102 | 45° | |
| | 12-02920 | LOMBARDINI 9LDA 626-2 | | D | İN | 1 | 14 | 8 | 48 | | |
| | 12-02921 | | | D | EX | 1 | 140 | 8 | 42 | | |
| | 10-02922 | LOMBARDINI15LDA 225 | | D | İN | 4 | 31,5 | 6 | 81,8 | 45° | |
| | 11-02923 | | | D | EX | 4 | 27,5 | 6 | 81,8 | 45° | |
| 3142H042 | 10-04956 | PERKINS MF 260 GOLD (Std./+0.50) | 903.27 | D | İN | 3 | 41,8 | 7 | 115,4 | 35° | |
| 3142A091 | 11-04957 | | | D | EX | 3 | 38 | 7 | 115,5 | 45° | |
| 3318A702 | 12-06716 | PERKINS MF 260 GOLD | 903.27 | D | İN | 3 | 12,00 | 7 | 51,00 | | |
| 3318A702 | 12-06716 | | | D | EX | 3 | 12,00 | 7 | 51,00 | | |
| 3142H041 | 10-04959 | PERKINS MF 286 GOLD | 1004-42 | D | İN | 4 | 45 | 9 | 124,1 | 45° | |
| 3142D061 | 11-04960 | | | D | EX | 4 | 42 | 9 | 124,1 | 45° | |
| 3313A012 | 12-06717 | PERKINS MF 286 GOLD | 1004-42 | D | İN | 4 | 13,04 | 9 | 51,30 | | |
| 3318A705 | 12-06718 | | | D | EX | 4 | 14,04 | 9 | 51,30 | | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|------------|------------|--|--------------------|--------------|-------|------|------------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 3142L081 | 10-04932 | PERKINS MF 276 GOLD (1004.40) | 1004.40T-1004.40TW | D | İN | 4 | 43 | 9 | 123 | 30° | |
| 3142D051 | 11-04933 | | | D | EX | 4 | 41 | 9 | 123 | 30° | |
| 3313A012 | 12-06717 | PERKINS MF 276 GOLD (1004.40) | 1004.40T-1004.40TW | D | İN | 4 | 13,04 | 9 | 51,30 | | |
| 3318A705 | 12-06718 | | | D | EX | 4 | 14,04 | 9 | 51,30 | | |
| 731151M1 | 10-04902 | PERKINS X35 (3.152) (Std./+0.50) | Perkins 3.152 | D | İN | 3 | 39 | 7,9 | 114,3 | 45° | |
| 731152M1 | 11-04903 | | | D | EX | 3 | 33,4 | 7,9 | 114,3 | 45° | |
| 33261723 | 12-06704 | PERKINS X35 (3.152) | Perkins 3.152 | D | İN | 3 | 12,74 | 8 | 62,00 | | |
| 33261723 | 12-06704 | | | D | EX | 3 | 12,74 | 8 | 62,00 | | |
| 732101M1 | 10-04204 | PERKINS 4.108 | Perkins 4.99 | D | İN | 4 | 35,9 | 8 | 116,8 | 45° | |
| 734106M1 | 11-04205 | | | D | EX | 4 | 30,3 | 7,9 | 117 | 45° | |
| 33261723 | 12-06704 | PERKINS 4.108 | Perkins 4.99 | D | İN | 4 | 12,74 | 8 | 62,00 | | |
| 33261723 | 12-06704 | | | D | EX | 4 | 12,74 | 8 | 62,00 | | |
| 3143 1154 | 10-04944 | PERKINS MF 1080-1085 (4.318) | 4318 | D | İN | 4 | 47 | 9,5 | 132,5 | 45° | |
| 3143 1671 | 11-04945 | | | D | EX | 4 | 40,6 | 9,5 | 132,5 | 45° | |
| 33432532 | 12-06719 | PERKINS MF 1080-1085 (4.318) | 4318 | D | İN | 4 | 28,1/15,91 | 9,5 | 67,30 | | |
| 33432532 | 12-06719 | | | D | EX | 4 | 28,1/15,91 | 9,5 | 67,30 | | |
| 732811M1 | 10-04904 | PERKINS MF 135 (4.236) (Std./+0.50) | Perkins D3.152 | D | İN | 3 | 39 | 7,9 | 114,3 | 45° | |
| 737640M1 | 11-04905 | | | D | EX | 3 | 33,4 | 7,9 | 114,3 | 45° | |
| 33261723 | 12-06704 | PERKINS MF 135 (4.236) | Perkins D3.152 | D | İN | 3 | 12,74 | 8 | 62,00 | | |
| 33261723 | 12-06704 | | | D | EX | 3 | 12,74 | 8 | 62,00 | | |
| 31431681 | 10-04906 | PERKINS MF 240 (4.203) (Std./+0.50) | D3.152 | D | İN | 3 | 38,9 | 7,9 | 114,3 | 35° | |
| 31431991 | 11-04907 | | | D | EX | 3 | 33,4 | 7,9 | 114,3 | 35° | |
| 0420002 | 12-06707 | PERKINS MF 240 (4.203) | D3.152 | D | İN | 3 | 12,72 | 8 | 66,00 | | |
| 0420002 | 12-06707 | | | D | EX | 3 | 12,72 | 8 | 66,00 | | |
| 733819M1 | 10-04908 | PERKINS PD 250 (4.236) (Std./+0.50) | T4.236-Turbo | D | İN | 4 | 44,2 | 9,5 | 122,8 | 45° | |
| 3142A052 | 11-04917 | | | D | EX | 4 | 36,7 | 9,5 | 123,6 | 45° | |
| 33261732 | 12-06705 | PERKINS PD 250 (4.236) | T4.236-Turbo | D | İN | 4 | 15,91 | 9,5 | 57,90 | | |
| 33261752 | 12-06706 | | | D | EX | 4 | 15,91 | 9,5 | 61,10 | | |
| 31431641 | 10-04908 | PERKINS MF 165/285 (6.554) (Std./+0.50) | 6354 | D | İN | 4 | 44,2 | 9,5 | 122,8 | 45° | |
| 31431109 | 11-04910 | | | D | EX | 4 | 36,6 | 9,5 | 123,3 | 45° | |
| 33261732 | 12-06705 | PERKINS MF 165/285 (6.554) | 6354 | D | İN | 4 | 15,91 | 9,5 | 57,90 | | |
| 33261752 | 12-06706 | | | D | EX | 4 | 15,91 | 9,5 | 61,10 | | |
| 736812M1 | 10-04908.1 | PERKINS MF 165/285 (6.554) (0.003/+0.50) | 6354 | D | İN | 4 | 44,2 | 9,57 | 122,8 | 45° | |
| 736815M1 | 11-04910.1 | | | D | EX | 4 | 36,6 | 9,57 | 123,3 | 45° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|------------|------------|---|----------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 33261732 | 12-06705.1 | PERKINS MF 165/285 (6.554) (0.003") | 6354 | D | İN | 4 | 15,91 | 9,57 | 57,90 | | |
| 33261752 | 12-06706.1 | | | D | EX | 4 | 15,91 | 9,57 | 61,10 | | |
| 736813M1 | 10-04908.2 | PERKINS MF 165/285 (6.554) (0.015"/+0.50) | 6354 | D | İN | 4 | 44,2 | 9,9 | 122,8 | 45° | |
| 736816M1 | 11-04910.2 | | | D | EX | 4 | 36,6 | 9,9 | 123,3 | 45° | |
| 33261732 | 12-06705.2 | PERKINS MF 165/285 (6.554) (0.015") | 6354 | D | İN | 4 | 15,91 | 9,57 | 57,90 | | |
| 33261752 | 12-06706.2 | | | D | EX | 4 | 15,91 | 9,57 | 61,10 | | |
| 31431641 | 10-04908 | PERKINS MF 285 (4.236) (Std./+0.50) | 4236 | D | İN | 4 | 44,2 | 9,5 | 122,8 | 45° | |
| 31431881 | 11-04915 | | | D | EX | 4 | 36,7 | 9,9 | 123,8 | 45° | |
| 33261732 | 12-06705 | PERKINS MF 285 (4.236) | 4236 | D | İN | 4 | 15,91 | 9,5 | 57,90 | | |
| 33261752 | 12-06706 | | | D | EX | 4 | 15,91 | 9,5 | 61,10 | | |
| 3142H002 | 10-04916 | PERKINS 398 TURBO (Std./+0.50) | T4.236 | D | İN | 4 | 44,35 | 9,5 | 123 | 30° | |
| 3143A052 | 11-04917 | | | D | EX | 4 | 36,6 | 9,5 | 123,3 | 45° | |
| 33261732 | 12-06705 | PERKINS 398 TURBO | T4.236 | D | İN | 4 | 15,91 | 9,5 | 57,90 | | |
| 33261752 | 12-06706 | | | D | EX | 4 | 15,91 | 9,5 | 61,10 | | |
| 31431981 | 10-04922 | PERKINS T-255 TURBO (3x3) (Std./+0.50) | T3.152.4 Turbo | D | İN | 3 | 39 | 8 | 114,3 | 35° | |
| 31431011 | 11-04923 | | | D | EX | 3 | 33,5 | 8 | 114,3 | 35° | |
| 33261723 | 12-06704 | PERKINS T-255 TURBO (3x3) | T3.152.4 Turbo | D | İN | 3 | 12,74 | 8 | 62,00 | | |
| 33261723 | 12-06704 | | | D | EX | 3 | 12,74 | 8 | 62,00 | | |
| 31431981 | 10-04922 | PERKINS 255 EP (Std./+0.50) | T3.152.4 | D | İN | 4 | 38,9 | 8 | 114,3 | 35° | |
| 3142A081 | 11-04927 | | | D | EX | 4 | 34,7 | 8 | 114,4 | 45° | |
| 0420002 | 12-06707 | PERKINS 255 EP | T3.152.4 | D | İN | 4 | 12,72 | 8 | 66,00 | | |
| 0420002 | 12-06707 | | | D | EX | 4 | 12,72 | 8 | 66,00 | | |
| 3142 H011 | 10-04968 | PERKINS 700 SERIES | | D | İN | 4 | 44 | 7 | 106,5 | 45° | |
| 3142 A101 | 11-04969 | | | D | EX | 4 | 37 | 7 | 106,5 | 45° | |
| 3142 H091 | 10-04974 | PERKINS 1106D | E66T | D | İN | 4 | 35 | 6 | 108,2 | 35° | |
| 3142 A181 | 11-04975 | | | D | EX | 4 | 33 | 6 | 107,9 | 45° | |
| 3142H101 | 10-04966 | PERKINS MF 266 GOLD | 1104 | D | İN | 4 | 46,4 | 9 | 129,1 | 45° | |
| 3142A171 | 11-04967 | | | D | EX | 4 | 41,6 | 9 | 128,4 | 30° | |
| 3142D041 | 10-04954 | PERKINS 1004.4T GREEN (Std./+0.50) | D4A | D | İN | 4 | 43 | 9 | 123 | 45° | |
| 3142D031 | 11-04955 | | | D | EX | 4 | 41 | 9 | 123 | 45° | |
| 3313A012 | 12-06717 | PERKINS 1004.4T GREEN | D4A | D | İN | 4 | 13,04 | 9 | 51,30 | | |
| 3318A705 | 12-06718 | | | D | EX | 4 | 14,04 | 9 | 51,30 | | |
| 3142H071 | 10-04938 | PERKINS MF 3050 / 3060 (1103/1104) | 1103-1104 | D | İN | 4 | 46,3 | 9 | 129,1 | 30° | |
| 3142A151 | 11-04939 | | | D | EX | 4 | 41,6 | 9 | 129,1 | 30° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|-------------|----------|--|---------------------|--------------|-------|------|---------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| 3313A012 | 12-06717 | PERKINS MF 3050 / 3060 (1103/1104) | 1103-1104 | D | İN | 4 | 13,04 | 9 | 51,30 | | |
| 3318A705 | 12-06718 | | | D | EX | 4 | 14,04 | 9 | 51,30 | | |
| 120166350 | 10-04940 | PERKINS 844 (JAPON) | | D | İN | 4 | 37 | 7 | 99,5 | 45° | |
| 120166360 | 11-04941 | | | D | EX | 4 | 33 | 7 | 99,5 | 45° | |
| 3312A702 | 12-06720 | PERKINS 844 (JAPON) | | D | İN | 4 | 12,00 | 7 | 45,50 | | |
| 3312A702 | 12-06720 | | | D | EX | 4 | 12,00 | 7 | 45,50 | | |
| 1842913C1 | 10-04942 | PERKINS NAVISTAR L6 466- JENERATOR | | D | İN | 4 | 50 | 9,5 | 152,5 | 30° | |
| 1842912C1 | 11-04943 | | | D | EX | 4 | 45,30 | 9,5 | 152 | 45° | |
| | 12-06715 | PERKINS NAVISTAR L6 466- JENERATOR | | D | İN | 4 | 16 | 9,5 | 66,3 | | |
| | 12-06715 | | | D | EX | 4 | 16 | 9,5 | 66,3 | | |
| 3142 H031 | 10-04976 | PERKINS UB704-26 - UB704-43 | UB704-26 - UB704-43 | D | İN | 4 | 42 | 7 | 105,5 | 45° | |
| 3142 A111 | 11-04977 | | | D | EX | 4 | 34 | 7 | 106,5 | 45° | |
| 3802924 | 10-01124 | IVECO EURO CARGO TECTOR NEWH.TC 5070 24V | | D | İN | 12 | 33 | 7 | 124,7 | 35° | |
| 3802967 | 11-01125 | | | D | EX | 12 | 32,9 | 7 | 124,3 | 45° | |
| | 12-02808 | IVECO EURO CARGO TECTOR NEWH.TC 5070 24V | | D | İN | 12 | 13,10 | 7 | 51,30 | | |
| | 12-02808 | | | D | EX | 12 | 13,10 | 7 | 51,30 | | |
| 4070501 | 10-06216 | STEYR 768 (ESKİ MODEL) (Std./+0.50) | WD 407 | D | İN | 4 | 45 | 9 | 142,5 | 45° | |
| 4070502 | 11-06217 | | | D | EX | 4 | 36,9 | 9 | 142,5 | 45° | |
| 406 04 602 | 12-06900 | STEYR 768 (ESKİ MODEL) | WD 407 | D | İN | 4 | 14,03 | 9 | 75,00 | | |
| 406 04 603 | 12-06901 | | | D | EX | 4 | 14,03 | 9 | 66,00 | | |
| 31100050014 | 10-06218 | STEYR 8073 (YENİ MODEL) (Std./+0.50) | WD 411.41 | D | İN | 4 | 41,9 | 9 | 142,5 | 45° | |
| 31100050015 | 11-06219 | | | D | EX | 4 | 36,9 | 9 | 142,5 | 45° | |
| 406 04 602 | 12-06900 | STEYR 8073 (YENİ MODEL) | WD 411.41 | D | İN | 4 | 14,03 | 9 | 75,00 | | |
| 406 04 603 | 12-06901 | | | D | EX | 4 | 14,03 | 9 | 66,00 | | |
| 61160050001 | 10-06220 | STEYR WD411 TURBO | WD 411.85-Turbo | D | İN | 4 | 45 | 9 | 142,5 | 35° | |
| 61160050002 | 11-06221 | | | D | EX | 4 | 36,9 | 9 | 142,5 | 45° | |
| 21300540 | 10-06224 | STEYR WD413 | WD 413 | D | İN | 4 | 51,8 | 11 | 136 | 45° | |
| 21300539 | 11-06225 | | | D | EX | 4 | 48,2 | 11 | 136 | 45° | |
| 21300472 | 12-06902 | STEYR WD413 | WD 413 | D | İN | 4 | 18 | 11 | 67,2 | | |
| 21300472 | 12-06902 | | | D | EX | 4 | 18 | 11 | 67,2 | | |
| 61560050042 | 10-06232 | STEYR WD615 | WD 615 | D | İN | 4 | 55 | 11 | 158,6 | 35° | |
| 61560050041 | 11-06233 | | | D | EX | 4 | 49,8 | 11 | 158,6 | 45° | |
| 61460050007 | 10-06226 | STEYR WD614 TURBO | WD 614 | D | İN | 4 | 50,9 | 12 | 158,4 | 55° | |
| 61560050006 | 11-06227 | | | D | EX | 4 | 48,9 | 12 | 158,4 | 45° | |

| ORJİNAL NO | SUNEX NO | MARKA VE MODEL | MOTOR KODU | BENZİN DİZEL | CİNSİ | ADET | ÖLÇÜLER | | | | |
|--------------|----------|--------------------------------|--------------------------|--------------|-------|------|------------|-------|---------|-----|--------|
| | | | | | | | KAFA Q | SAP Q | TÜM BOY | AÇI | GÖRSEL |
| | 10-06236 | HOWO FARAZ TRUCK | | D | İN | 12 | 46,3 | 9 | 129,1 | 25° | |
| | 11-06237 | | | D | EX | 12 | 40,6 | 9 | 159 | 45° | |
| 10302117 | 10-06700 | UNIVERSAL UTB 650 (Std./+0.50) | U 650 Tractors | D | İN | 4 | 41,2 | 11 | 159 | 35° | |
| 10302118 | 11-06701 | | | D | EX | 4 | 37,1 | 11 | 168,2 | 45° | |
| | 12-07200 | UNIVERSAL UTB 650 | U 650 Tractors | D | İN | 4 | 18,17 | 11 | 85,00 | | |
| | 12-07200 | | | D | EX | 4 | 18,17 | 11 | 85,00 | | |
| 46356 | 10-04970 | VALTRA VALMET 8400 | 8400 | D | İN | 6 | 48 | 9 | 151,6 | 35° | |
| 46357 | 11-04971 | | | D | EX | 6 | 41 | 9 | 152,8 | 45° | |
| 836673175 | 12-07210 | VALTRA VALMET 8400 | 8400 | D | İN | 6 | 16,05 | 9 | 68,00 | | |
| 836673175 | 12-07210 | | | D | EX | 6 | 16,05 | 9 | 68,00 | | |
| 836110153 | 10-04972 | VALTRA VALMET (PERKINS) | | D | İN | 6 | 45 | 9,5 | 148 | 30° | |
| 836117564 | 11-04973 | | | D | EX | 6 | 39,8 | 9,5 | 148 | 30° | |
| 836136051 | 12-07211 | VALTRA VALMET (PERKINS) | | D | İN | 6 | 16,05 | 9,5 | 72,00 | | |
| 836136051 | 12-07211 | | | D | EX | 6 | 16,05 | 9,5 | 72,00 | | |
| 950505 | 10-03518 | ZETOR 70 (95 MM) | 2001-3001-4001 | D | İN | 4 | 39 | 8 | 129,5 | 45° | |
| 950506 | 11-03519 | | | D | EX | 4 | 33 | 10 | 129,5 | 45° | |
| 950504 | 12-04206 | ZETOR 70 (95 MM) | 2001-3001-4001 | D | İN | 4 | 15 | 8 | 70,00 | | |
| 950530 | 12-04206 | | | D | EX | 4 | 15 | 10 | 64,00 | | |
| 690 10 554 | 10-07001 | ZETOR 71 (102 MM) | 5711-6911-6945-7011-7045 | D | İN | 4 | 44,2 | 10 | 129,4 | 45° | |
| 690 10 555 | 11-07002 | | | D | EX | 4 | 36,4 | 10 | 129,4 | 45° | |
| 950530 | 12-04208 | ZETOR 71 (102 MM) | 5711-6911-6945-7011-7045 | D | İN | 4 | 17,5/15,04 | 10 | 64,00 | | |
| 950530 | 12-04208 | | | D | EX | 4 | 17,5/15,04 | 10 | 64,00 | | |
| 4-80005014 | 10-07003 | ZETOR 80 (110 MM) | | D | İN | 4 | 49,2 | 10 | 139 | 45° | |
| 4-80005015 | 11-07004 | | | D | EX | 4 | 41,2 | 10 | 139 | 45° | |
| 80005101 | 12-04207 | ZETOR 80 (110 MM) | | D | İN | 4 | 16 | 10 | 68,5 | | |
| 80005101 | 12-04207 | | | D | EX | 4 | 16 | 10 | 68,5 | | |
| | 10-07005 | ZETOR 105 (YENİ MODEL) | 105 | D | İN | 4 | 45,3 | 10 | 136,6 | 30° | |
| | 11-07006 | | | D | EX | 4 | 36,2 | 10 | 136,6 | 45° | |
| 5000667762 | 10-05008 | SAVIEM 102 | MIDR 302.26 Turbo | D | İN | 6 | 46,6 | 10 | 140,2 | 30° | |
| 5010 553 312 | 11-05009 | | | D | EX | 6 | 40,6 | 10 | 140,2 | 45° | |
| 00711460 | 10-06317 | SAME TRAKTOR | 1054 PTI | D | İN | 4 | 44 | 9 | 130,7 | 30° | |
| 00711470 | 11-06318 | | | D | EX | 4 | 39 | 9 | 130,5 | 45° | |
| 04214202 | 10-06315 | SAME 154 PT TURBO | 154 PT - Turbo | D | İN | 4 | 44 | 8 | 148 | 45° | |
| 07114202 | 11-06316 | | | D | EX | 4 | 42 | 8 | 148 | 45° | |